


**Environmental
Product
Declaration**

According to ISO14025+EN15804+A2

This declaration is for:
BOAL Standard Aluminium

Provided by:
BOAL B.V.



MRPI® registration
1.1.00775.2025

program operator
Stichting MRPI®
publisher
Stichting MRPI®
www.mrpi.nl

date of first issue
19-2-2025
date of this issue
19-2-2025
expiry date
19-2-2030

COMPANY INFORMATION

BOAL B.V.
 De Hondert Margen 12
 2678 AC
 De Lier
 Netherlands

<https://www.boalextrusion.com/nl>

MRPI® REGISTRATION

1.1.00775.2025

DATE OF THIS ISSUE

19-2-2025

EXPIRY DATE

19-2-2030

SCOPE OF DECLARATION

This MRPI®-EPD certificate is verified by Gert-Jan Vroege, Eco Intelligence. The LCA study has been done by Liz Adams, Ecomatters B.V. The certificate is based on an LCA-dossier according to ISO14025+EN15804+A2. It is verified according to the 'MRPI®-EPD verification protocol November 2020.v4.0'. EPDs of construction products may not be comparable if they do not comply with EN15804+A2. Declaration of SVHC that are listed on the 'Candidate list of Substances of Very High Concern for authorisation' when content exceeds the limits for registration with ECHA.

PROGRAM OPERATOR

Stichting MRPI®
 Kingsfordweg 151
 1043 GR
 Amsterdam

PRODUCT

BOAL Standard Aluminium

DECLARED UNIT / FUNCTIONAL UNIT

1 kg


DESCRIPTION OF PRODUCT

Aluminium profiles made with aluminium input materials

VISUAL PRODUCT



MORE INFORMATION

Ing. L. L. Oosterveen MSc. MBA Managing Director MRPI	DEMONSTRATION OF VERIFICATION
	CEN standard EN15804 serves as the core PCR [1] Independent verification of the declaration an data according to ISO14025+EN15804+A2 internal: external: X
	Third party verifier: Gert-Jan Vroege, Eco Intelligence 
	[1] PCR = Product Category Rules

DETAILED PRODUCT DESCRIPTION (PART 1)

Product Description: BOAL Standard Aluminium profiles are profiles made with low-carbon aluminium input materials.

Production process and conditions of delivery: BOAL Standard Aluminium profiles are produced at two sites. These are in De Lier, Netherlands, and Shephed, United Kingdom. The recycled content of Standard Aluminium is based on the average input to the factories. The profiles are produced from alloyed aluminium billets and undertake the following production steps: pre-heating, extrusion, cooling, straightening, cutting, and ageing. The profiles are then packaged and delivered to the customer. The intended application of the aluminium profiles is use within the construction of structures.

Product Characteristic		Unit
Primary Aluminium	79	%
Secondary/Scrap Aluminium	21	%
Thickness	Variable	mm
Average length	Variable	mm
Density	2755	kg/m3

SCOPE AND TYPE

Production in The Netherlands and The United Kingdom.

Distribution and end-of-life treatment in Europe.


Modelled using software LCA for Experts and database Ecoinvent v3.10.

Specific EPD.

PRODUCT STAGE			CONSTRUCTION PROCESS STAGE		USER STAGE							END OF LIFE STAGE				BENEFITS AND LOADS BEYOND THE SYSTEM BOUNDARIES
Raw material supply	Transport	Manufacturing	Transport gate to site	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse - Recovery - Recycling potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
X	X	X	ND	ND	ND	ND	ND	ND	ND	ND	ND	X	X	X	X	X

X = Modules Assessed

ND = Not Declared



REPRESENTATIVENESS

Not applicable as the EPD is specific for the product.

ENVIRONMENTAL IMPACT per functional unit or declared unit (core indicators A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO2 eq	7,32E+00	3,35E-03	4,48E-01	7,77E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,97E-02	2,96E-01	1,96E-02	-4,99E+00
GWP-fossil	kg CO2 eq	7,12E+00	3,35E-03	4,93E-01	7,62E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,97E-02	2,94E-01	2,46E-03	-4,87E+00
GWP-biogenic	kg CO2 eq	3,64E-02	-1,04E-06	9,46E-03	4,59E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,36E-05	1,75E-03	1,71E-02	8,09E-03
GWP-luluc	kg CO2 eq	1,65E-01	1,76E-06	2,96E-04	1,66E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,53E-06	2,44E-04	1,32E-06	-1,24E-01
ODP	kg CFC11 eq	1,22E-07	4,82E-11	8,19E-08	2,04E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,91E-10	3,03E-09	2,09E-11	-9,26E-08
AP	mol H+ eq	4,48E-02	9,80E-05	9,11E-04	4,58E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,09E-05	1,17E-03	7,98E-06	-3,12E-02
EP-fresh water	kg PO4 eq	3,87E-03	1,07E-07	8,20E-05	3,95E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,33E-06	7,05E-05	2,42E-07	-2,71E-03
EP-marine	kg N eq	6,33E-03	2,44E-05	2,17E-04	6,57E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,98E-06	2,18E-04	4,41E-06	-4,21E-03
EP-terrestrial	mol N eq	5,66E-02	2,71E-04	2,09E-03	5,90E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,06E-04	2,39E-03	3,28E-05	-3,74E-02
POCP	kg NMVOC eq	2,49E-02	7,34E-05	9,91E-04	2,59E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,81E-05	7,84E-04	9,65E-06	-1,71E-02
ADP-minerals & metals	kg Sb eq	1,22E-05	3,28E-09	3,55E-06	1,57E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,40E-08	6,47E-06	2,99E-09	5,35E-05
ADP-fossil	MJ, net calorific value	1,18E+02	4,08E-02	5,82E+00	1,24E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,78E-01	2,33E+00	1,99E-02	-8,23E+01
WDP	m3 world eq. Deprived	1,30E+01	1,30E-04	6,28E-02	1,30E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,65E-03	5,00E-02	-6,47E-03	-8,95E+00

GWP-total	=	Global Warming Potential total
GWP-fossil	=	Global Warming Potential fossil fuels
GWP-biogenic	=	Global Warming Potential biogenictotal
GWP-luluc	=	Global Warming Potential land use and land use change
ODP	=	Depletion potential of the stratospheric ozone layer
AP	=	Acidification Potential, Accumulated Exceedence
EP-freshwater	=	Eutrophication Potential, fraction of nutrients reaching freshwater end compartment
EP-marine	=	Eutrophication Potential, fraction of nutrients reaching marine end compartment
EP-terrestrial	=	Eutrophication Potential, Accumulated Exceedence
POCP	=	Formation potential of tropospheric ozone photochemical oxidants
ADP-minerals & metals	=	Abiotic Depletion Potential for non-fossil resources [1]
ADP-fossil	=	Abiotic Depletion for fossil resources potential [1]
WDP	=	Water (user) deprivation potential, deprivation-weighted water consumption [1]

Disclaimer [1]:

- The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

ENVIRONMENTAL IMPACT per functional unit or declared unit (additional indicators A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PM	Disease incidence	4,81E-07	9,71E-11	9,87E-09	4,91E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,15E-09	1,58E-08	1,23E-10	-3,46E-07
IRP	kBq U235 eq.	1,90E+00	1,89E-05	1,36E-02	1,91E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,59E-04	1,63E-02	4,01E-05	-1,39E+00
ETP-fw	CTUe	2,46E+01	7,02E-03	2,86E+00	2,74E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,53E-02	1,65E+00	7,05E+00	3,73E-01
HTP-c	CTUh	4,36E-08	1,47E-11	1,75E-09	4,53E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,40E-10	1,66E-09	8,86E-12	-2,55E-08
HTP-nc	CTUh	9,45E-08	1,22E-11	3,98E-09	9,85E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,67E-10	6,21E-09	1,88E-10	-5,40E-08
SQP	-	8,01E+00	3,41E-03	8,41E+00	1,64E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,67E-01	1,99E+00	2,71E-02	-3,55E+00


- PM = Potential incidence of disease due to PM emissions
- IRP = Potential Human exposure efficiency relative to U235 [1]
- ETP-fw = Potential Comparative Toxic Unit for ecosystems [2]
- HTP-c = Potential Comparative Toxic Unit for humans [2]
- HTP-nc = Potential Comparative Toxic Unit for humans, non-cancer [2]
- SQP = Potential soil quality index [2]

Disclaimer [1]:

- This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste.

Disclaimer [2]:

- The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.



OUTPUT FLOWS AND WASTE CATEGORIES per functional unit or declared unit (A1 en A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
HWD	kg	0,00E+00	0,00E+00	4,44E-02	4,44E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NHWD	kg	0,00E+00	0,00E+00	9,90E-03	9,90E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,60E-02	0,00E+00
RWD	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
CRU	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	kg	0,00E+00	0,00E+00	2,77E-01	2,77E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,82E-01	0,00E+00	0,00E+00
MER	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,21E-02	0,00E+00	0,00E+00
EEE	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,05E-02	0,00E+00	-2,05E-02
ETE	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,11E-02	0,00E+00	-4,11E-02

HWD = Hazardous Waste Disposed
 NHWD = Non Hazardous Waste Disposed
 RWD = Radioactive Waste Disposed
 CRU = Components for reuse
 MFR = Materials for recycling
 MER = Materials for energy recovery
 EEE = Exported Electrical Energy
 ETE = Exported Thermal Energy

RESOURCE USE per functional unit or declared unit (A1 and A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	4,39E+01	3,09E-04	3,40E+00	4,73E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,76E-03	2,64E-01	5,62E-04	-3,24E+01
PERM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	4,39E+01	3,09E-04	3,40E+00	4,73E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,76E-03	2,64E-01	5,62E-04	-3,24E+01
PENRE	MJ	1,18E+02	4,08E-02	5,82E+00	1,24E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,78E-01	2,33E+00	1,99E-02	-8,23E+01
PENRM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	1,18E+02	4,08E-02	5,82E+00	1,24E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,78E-01	2,33E+00	1,99E-02	-8,23E+01
SM	kg	2,10E-01	0,00E+00	0,00E+00	2,10E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NSRF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m3	3,02E-01	3,03E-06	1,46E-03	3,03E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,83E-05	1,16E-03	-1,51E-04	-2,08E-01

PERE	=	Use of renewable energy excluding renewable primary energy resources
PERM	=	Use of renewable energy resources used as raw materials
PERT	=	Total use of renewable primary energy resources
PENRE	=	Use of non-renewable primary energy resources excluding non-renewable energy resources used as raw materials
PENRM	=	Use of non-renewable primary energy resources used as raw materials
PENRT	=	Total use of non-renewable primary energy resources
SM	=	Use of secondary materials
RSF	=	Use of renewable secondary fuels
NSRF	=	Use of non-renewable secondary fuels
FW	=	Use of net fresh water

BIOGENIC CARBON CONTENT per functional unit or declared unit (A1 and A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
BBCpr	kg C	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
BCCpa	kg C	0,00E+00	0,00E+00	-1,58E-02	-1,58E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,58E-02	0,00E+00

BBCpr	=	Biogenic carbon content in product
BCCpa	=	Biogenic carbon content in packaging

CALCULATION RULES (PART 1)

Data quality and collection period: All primary data was collected via a questionnaire in 2024 and completed by BOAL. This includes data on raw materials, transport and both manufacturing sites. Where primary data was not available, secondary data was used. Secondary data was taken from EN15804+A2:2019 product category rules for construction products, the Product Environmental Footprint 3.1 (PEF) guidance, and EN17622:2021 the draft product category rules for the execution of steel structures and aluminium structures.

Cut-off and allocation procedures: Cut-off within the background processes is according to the respective methodologies (see documentation of the relevant processes (Wernet et al., 2016)).

SCENARIOS AND ADDITIONAL TECHNICAL INFORMATION (PART 1)

A1. Raw materials supply: This module considers the extraction and processing of all raw materials and energy that occurs upstream of the manufacturing process and waste processing up to the end-of-waste status.

A2. Transport of raw materials to the manufacturer: This includes the transport distance of the raw materials to the manufacturing facility via cargo ship and lorry. For all raw materials, supplier-specific data was used. As raw materials were provided from a number of sites, allocation was applied to the transport modes and distances based on the percentage of raw material product provided from each site.

Transport of Raw Materials (A2)	Vehicle Type	Distance (Km)	Source
Raw material (product)	sea, container ship	874	BOAL
Raw material (product)	sea, container ship	2968	BOAL
Raw material (product)	lorry > 32 metric ton, EURO6	43,5	BOAL
Raw material (product)	lorry > 32 metric ton, EURO6	43,5	BOAL
Raw material (product)	lorry > 32 metric ton, EURO6	180	BOAL

SCENARIOS AND ADDITIONAL TECHNICAL INFORMATION (PART 2)

A3. Manufacturing

This module covers the manufacturing of the aluminium profile and covers all manufacturing steps, transport, and packaging. Utilities, such as energy, heat and water use are all taken into account.

Data regarding the manufacture of the Standard Aluminium production was provided for two manufacturing sites. One in De Lier in the Netherlands, and another in Shepshed, in the United Kingdom. Data on electricity sources was provided by BOAL and modelled based on current electricity contracts. For upstream (raw material processes) and downstream processes (processing of waste generated during manufacture) generic data is used when no specific data could be obtained.

SCENARIOS AND ADDITIONAL TECHNICAL INFORMATION (PART 3)

C1. Deconstruction and demolition

This stage includes the disassembly or demolition of the aluminium profiles. Here it is assumed that no specific demolition steps are required and thus no inputs or outputs are modelled.

C2. Transport of waste

This module includes a one-way transportation distance from the demolition to the recycling, incineration or landfill site. Table 3 shows the End-of-Life transport for the aluminium profile and packaging materials. Data for the end of life processing of the aluminium profile was taken from EN17662:2021, draft Product Category Rules for the execution of steel structures and aluminium structures. Data for the end of life processing of packaging materials was taken from Eurostat. The default assumption of 100km to disposal, incineration, treatment, or re-use facilities was taken from the Product Environmental Footprint 3.1 guidance

Transport to EOL	Vehicle Type	Distance (Km)	Source
Product	lorry > 32 metric ton, EURO6	100	PEF 3.1 guidance
Packaging	lorry > 32 metric ton, EURO6	100	PEF 3.1 guidance

SCENARIOS AND ADDITIONAL TECHNICAL INFORMATION (PART 4)

C3. Waste processing and C4. Disposal

The end of life stage is encompassed in these modules. For the end of life of the Standard Aluminium profile, the default assumption of 96% recycled and 4% landfilling was taken from EN17662:2021, draft Product Category Rules for the execution of steel structures and aluminium structures. For the end of life of each packaging material, scenarios were modelled based on data from Eurostat, the statistics office of the European Union.

End-Of-Life scenario	Recycling	Incineration with energy recovery	Landfill
Aluminium (product)	96		4
Wood (packaging)	46,02	53,63	0,35
Plastic (packaging)	71,3	23,5	5,3
Paper/cardboard (packaging)	98,3	1,5	0,2
Matal (packaging)	100		

DECLARATION OF SVHC

None of the substances contained in the product are listed in the "Candidate List of Substances of Very High Concern for authorisation" or exceed the threshold with the European Chemicals Agency.

REFERENCES

- EN 15804:2012+A2:2019 Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products, of 2019.
- EN17662:2021 Execution of steel structures and aluminium structures - Environmental Product Declarations - Product category rules complementary to EN 15804 for Steel, Iron and Aluminium structural products for use in construction works.
- European Commission, (2021). Annex II: Product Environmental Footprint Method. In Environmental Footprint Guidance Document. [Online] Available at: https://environment.ec.europa.eu/document/download/680503dc-5a19-4f6a-bb92-84d9bfc8f312_en?filename=Annexes%201%20to%202.pdf Date accessed 10/10/2024
- Eurostat, (2020). Treatment of waste by waste category, hazardousness and waste management operations. [Online] Available at: https://ec.europa.eu/eurostat/databrowser/view/env_wastrt__custom_13050419/default/table Date accessed 27/09/2024.
- Wernet, G., Bauer, C., Steubing, B., Reinhard, J., Moreno-Ruiz, E., & Weidema, B. (2016). The Ecoinvent database version 3 (part I): overview and methodology. International Journal of Life Cycle Assessment, 21(9), 1218–1230. <https://doi.org/10.1007/s11367-016-1087-8>

REMARKS

None