

**Environmental
Product
Declaration**

According to ISO14025+EN15804 A2 (+indicators A1)

This declaration is for:
Firesafe FSB1

Provided by:
Firesafe AS



MRPI® registration:
1.1.00891.2025

Program operator:
Stichting MRPI®
Publisher:
Stichting MRPI®
www.mrpi.nl

Date of first issue:
9-7-2025
Date of this issue:
9-7-2025
Expiry date:
9-7-2030



DETAILED PRODUCT DESCRIPTION (PART 1)

Firesafe FSB1 is a fire stopping board made of a high-density rock wool core, treated with Firesafe FSP firestop coating on one side. Firesafe FSB fire stopping boards make it possible to seal off larger openings, creating a fire-resistant and smoke-proof seal to adjacent rooms. Firesafe FSB fire stopping boards can also be used in combination with the Firesafe FSA fire stopping mastic and Firesafe FSP firestop coating. Firesafe FSB1 is 50 mm thick with dimensions 1000 x 625 mm. One piece weighs 5,98 kg. The reference service life of Firesafe FSB1 is 25 years.

Component (> 1%)	(%)
Stonewool	84,80%
Polymer	4,60%
Water	3,70%
Filler	4,00%
Flame retardant	1,50%
Packaging	1,40%

SCOPE AND TYPE

This Environmental Product Declaration (EPD) has been prepared for Firesafe FSB1 manufactured and sold by FireSafe AS. The scope of the EPD is from cradle to grave, following the requirements of EN 15804+A2 and ISO 14025. The following specifications apply:

The manufacturing of the Firesafe FSB1 takes place at Multimolecules in Kaatsheuvel, Netherlands.

The product is primarily applied within Norway. 1250 km is used as a distance for transport to the Firesafe warehouse in in Lørenskog, + 300 km fixed distance for distribution in accordance with Norwegian standards.

The end-of-life treatment of the product is assumed to take place in Norway based on current market practice.

All background data is sourced from Ecoinvent version 3.6.

The study was conducted using SimaPro version 9.5.1.

This EPD is a product-specific EPD, representing the environmental performance of a specific product from Firesafe, based on primary data collected in 2024 and verified secondary sources.

This declaration is specific to Firesafe FSB1.


This product is in compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR).

PRODUCT STAGE			CONSTRUCTION PROCESS STAGE		USE STAGE							END OF LIFE STAGE				BENEFITS AND LOADS BEYOND THE SYSTEM BOUNDARIES
Raw material supply	Transport	Manufacturing	Transport gate to site	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse - Recovery - Recycling potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

X = Modules Assessed

ND = Not Declared





ENVIRONMENTAL IMPACT per functional unit or declared unit (indicators A1)

Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
ADPE kg Sb eq.	1,87E-04	2,20E-05	1,48E-05	2,24E-04	2,79E-06	3,45E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,02E-06	0,00E+00	8,92E-07	0,00E+00
ADPF MJ	1,28E+02	1,99E+01	2,15E+01	1,69E+02	2,52E+00	2,63E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,12E-01	0,00E+00	2,13E+00	0,00E+00
GWP kg CO2 eq.	7,97E+00	1,28E+00	1,19E+00	1,04E+01	1,62E-01	2,17E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,00E-02	0,00E+00	3,77E+00	0,00E+00
ODP kg CFC11 eq.	4,65E-07	2,43E-07	1,12E-07	8,20E-07	3,07E-08	1,34E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,10E-09	0,00E+00	1,77E-08	0,00E+00
POCP kg ethene eq.	9,51E-03	7,82E-04	3,12E-04	1,06E-02	9,88E-05	1,74E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,42E-05	0,00E+00	8,53E-04	0,00E+00
AP kg SO2 eq.	5,72E-02	3,34E-03	2,73E-03	6,32E-02	4,22E-04	9,74E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,76E-04	0,00E+00	8,55E-04	0,00E+00
EP kg (PO4) 3 eq.	4,84E-03	5,50E-04	3,59E-04	5,75E-03	6,95E-05	1,42E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,46E-05	0,00E+00	3,56E-03	0,00E+00

Toxicity indicators and ECI (Dutch market)

HTP kg DCB eq.	5,25E+00	2,76E-01	5,11E-01	6,03E+00	3,49E-02	9,39E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,69E-02	0,00E+00	1,57E-01	0,00E+00
FAETP kg DCB eq.	1,15E-01	1,16E-02	8,27E-03	1,35E-01	1,47E-03	2,28E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,92E-04	0,00E+00	1,44E-02	0,00E+00
MAETP kg DCB eq.	2,38E+02	3,14E+01	2,82E+01	2,97E+02	3,97E+00	5,11E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,77E+00	0,00E+00	3,58E+01	0,00E+00
TETP kg DCB eq.	9,52E-03	1,56E-03	1,75E-02	2,86E-02	1,97E-04	4,42E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,96E-05	0,00E+00	4,98E-04	0,00E+00
ECI euro	1,20E+00	1,14E-01	1,26E-01	1,44E+00	1,44E-02	2,56E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,82E-03	0,00E+00	2,44E-01	0,00E+00
ADPF kg Sb eq.	6,13E-02	9,58E-03	1,03E-02	8,12E-02	1,21E-03	1,27E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,94E-04	0,00E+00	1,02E-03	0,00E+00

- ADPE = Abiotic Depletion Potential for non-fossil resources
- ADPF = Abiotic Depletion Potential for fossil resources
- GWP = Global Warming Potential
- ODP = Depletion potential of the stratospheric ozone layer
- POCP = Formation potential of tropospheric ozone photochemical oxidants
- AP = Acidification Potential of land and water
- EP = Eutrophication Potential
- HTP = Human Toxicity Potential
- FAETP = Fresh water aquatic ecotoxicity potential
- MAETP = Marine aquatic ecotoxicity potential
- TETP = Terrestrial ecotoxicity potential
- ECI = Environmental Cost Indicator
- ADPF = Abiotic Depletion Potential for fossil resources



ENVIRONMENTAL IMPACT per functional unit or declared unit (core indicators A2)

Unit		A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO2 eq.	8,12E+00	1,29E+00	2,10E+00	1,15E+01	1,64E-01	2,49E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,04E-02	0,00E+00	5,73E+00	0,00E+00
GWP-fossil	kg CO2 eq.	8,16E+00	1,29E+00	1,76E+00	1,12E+01	1,63E-01	1,70E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,04E-02	0,00E+00	3,59E-01	0,00E+00
GWP-biogenic	kg CO2 eq.	-4,98E-02	6,23E-04	3,31E-01	2,82E-01	7,88E-05	7,98E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,86E-05	0,00E+00	5,37E+00	0,00E+00
GWP-luluc	kg CO2 eq.	4,35E-03	3,22E-04	6,22E-04	5,29E-03	4,08E-05	7,79E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,48E-05	0,00E+00	1,08E-04	0,00E+00
ODP	kg CFC11 eq.	4,72E-07	3,05E-07	1,57E-07	9,34E-07	3,86E-08	1,48E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	8,91E-09	0,00E+00	2,16E-08	0,00E+00
AP	mol H+ eq.	7,00E-02	4,16E-03	7,85E-03	8,20E-02	5,25E-04	1,19E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,34E-04	0,00E+00	1,07E-03	0,00E+00
EP-fresh water	kg PO4 eq.	2,97E-04	9,01E-06	5,69E-05	3,63E-04	1,14E-06	5,64E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,07E-07	0,00E+00	3,22E-05	0,00E+00
EP-marine	kg N eq.	7,18E-03	9,55E-04	1,57E-03	9,71E-03	1,21E-04	2,49E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	8,25E-05	0,00E+00	7,59E-03	0,00E+00
EP-terrestrial	mol N eq.	1,18E-01	1,08E-02	1,50E-02	1,43E-01	1,36E-03	2,12E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,10E-04	0,00E+00	2,92E-03	0,00E+00
POCP	kg NMVOC eq.	3,57E-02	4,02E-03	4,58E-03	4,43E-02	5,08E-04	6,75E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,60E-04	0,00E+00	2,10E-03	0,00E+00
ADP-minerals & metals	kg Sb eq.	1,87E-04	2,20E-05	2,70E-05	2,36E-04	2,79E-06	3,45E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,02E-06	0,00E+00	8,92E-07	0,00E+00
ADP-fossil	MJ, net calorific value	1,08E+02	2,01E+01	2,69E+01	1,55E+02	2,54E+00	2,31E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,09E-01	0,00E+00	2,04E+00	0,00E+00
WDP	m3 world eq. Deprived	2,59E+00	8,54E-02	3,71E-01	3,05E+00	1,08E-02	4,45E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,18E-03	0,00E+00	7,08E-02	0,00E+00

GWP-total = Global Warming Potential total

GWP-fossil = Global Warming Potential fossil fuels

GWP-biogenic = Global Warming Potential biogenic total

GWP-luluc = Global Warming Potential land use and land use change

ODP = Depletion potential of the stratospheric ozone layer

AP = Acidification Potential, Accumulated Exceedence

EP-freshwater = Eutrophication Potential, fraction of nutrients reaching freshwater end compartment

EP-marine = Eutrophication Potential, fraction of nutrients reaching marine end compartment

EP-terrestrial = Eutrophication Potential, Accumulated Exceedence

POCP = Formation potential of tropospheric ozone photochemical oxidants

ADP-minerals & metals = Abiotic Depletion Potential for non-fossil resources [1]

ADP-fossil = Abiotic Depletion for fossil resources potential [1]

WDP = Water (user) deprivation potential, deprivation-weighted water consumption [1]

Disclaimer [1]:

- The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

ENVIRONMENTAL IMPACT per functional unit or declared unit (additional indicators A2)

Unit		A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PM	Disease incidence	4,05E-07	8,97E-08	4,80E-08	5,43E-07	1,13E-08	8,22E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,63E-09	0,00E+00	1,25E-08	0,00E+00
IRP	kBq U235 eq.	1,66E-01	8,63E-02	4,85E-02	3,00E-01	1,09E-02	4,72E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,55E-03	0,00E+00	8,16E-03	0,00E+00
ETP-fw	CTUe	1,80E+02	1,47E+01	3,34E+01	2,28E+02	1,85E+00	3,73E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,43E-01	0,00E+00	3,07E+01	0,00E+00
HTP-c	CTUh	2,63E-08	3,71E-10	3,19E-09	2,98E-08	4,69E-11	4,27E-09	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,76E-11	0,00E+00	1,91E-10	0,00E+00
HTP-nc	CTUh	1,08E-07	1,18E-08	4,61E-08	1,66E-07	1,49E-09	2,56E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,94E-10	0,00E+00	9,27E-09	0,00E+00
SQP	-	3,98E+01	2,30E+01	4,88E+00	6,77E+01	2,90E+00	1,09E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,28E-01	0,00E+00	3,65E+00	0,00E+00

- PM = Potential incidence of disease due to PM emissions
- IRP = Potential Human exposure efficiency relative to U235 [1]
- ETP-fw = Potential Comparative Toxic Unit for ecosystems [2]
- HTP-c = Potential Comparative Toxic Unit for humans, cancer [2]
- HTP-nc = Potential Comparative Toxic Unit for humans, non-cancer [2]
- SQP = Potential soil quality index [2]

Disclaimer [1]:

- This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste.

Disclaimer [2]:

- The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

OUTPUT FLOWS AND WASTE CATEGORIES per functional unit or declared unit (A1 en A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
HWD	kg	8,78E-05	4,97E-05	4,93E-05	1,87E-04	6,28E-06	2,96E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,54E-06	0,00E+00	6,75E-06	0,00E+00
NHWD	kg	7,71E-01	1,75E+00	5,41E-01	3,06E+00	2,21E-01	1,35E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,86E-02	0,00E+00	6,00E+00	0,00E+00
RWD	kg	1,60E-04	1,37E-04	4,68E-05	3,43E-04	1,73E-05	5,55E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,00E-06	0,00E+00	1,05E-05	0,00E+00
CRU	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	kg	0,00E+00	0,00E+00	1,16E-03	1,16E-03	0,00E+00	1,75E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MER	kg	0,00E+00	0,00E+00	6,27E-05	6,27E-05	0,00E+00	9,40E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EEE	MJ	0,00E+00	0,00E+00	4,25E-03	4,25E-03	0,00E+00	6,37E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
ETE	MJ	0,00E+00	0,00E+00	7,32E-03	7,32E-03	0,00E+00	1,10E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

- HWD = Hazardous Waste Disposed
- NHWD = Non Hazardous Waste Disposed
- RWD = Radioactive Waste Disposed
- CRU = Components for reuse
- MFR = Materials for recycling
- MER = Materials for energy recovery
- EEE = Exported Electrical Energy
- ETE = Exported Thermal Energy

RESOURCE USE per functional unit or declared unit (A1 and A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	0,00E+00	0,00E+00	5,27E-02	5,27E-02	0,00E+00	7,90E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	5,33E+00	2,06E-01	7,20E-01	6,25E+00	2,60E-02	9,07E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,62E-03	0,00E+00	8,82E-02	0,00E+00
PENRE	MJ	0,00E+00	0,00E+00	1,79E+01	1,79E+01	0,00E+00	2,69E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	1,16E+02	2,14E+01	2,91E+01	1,66E+02	2,70E+00	2,48E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,46E-01	0,00E+00	2,16E+00	0,00E+00
SM	kg	0,00E+00	0,00E+00	3,55E-04	3,55E-04	0,00E+00	5,33E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NSRF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m3	6,87E-02	2,57E-03	1,13E-02	8,26E-02	3,24E-04	1,21E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,42E-05	0,00E+00	1,87E-03	0,00E+00

- PERE = Use of renewable primary energy excluding renewable primary energy used as raw materials
- PERM = Use of renewable primary energy resources used as raw materials
- PERT = Total use of renewable primary energy resources
- PENRE = Use of non-renewable primary energy resources excluding non-renewable energy resources used as raw materials
- PENRM = Use of non-renewable primary energy resources used as raw materials
- PENRT = Total use of non-renewable primary energy resources
- SM = Use of secondary materials
- RSF = Use of renewable secondary fuels
- NSRF = Use of non-renewable secondary fuels
- FW = Use of net fresh water

BIOGENIC CARBON CONTENT per functional unit or declared unit (A1 and A2)

	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
BBCpr	kg C	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
BCCpa	kg C	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

- BCCpr = Biogenic carbon content in product
- BCCpa = Biogenic carbon content in packaging





CALCULATION RULES (PART 1)

This study follows the modular structure of EN 15804+A2 and ISO 14044. The declared unit is 1 piece (weighing 5,98 kg) of Firesafe FSB1. All lifecycle stages from raw material extraction through end-of-life are included. The functional unit is based on 1 piece of product ready for use. No significant input or output flows have been deliberately excluded.

Primary data was collected from Firesafe AS, covering production inputs, electricity use, welding operations, transport, and end-of-life scenarios. Background data was sourced from the Ecoinvent 3.6 database. Data quality is considered “good” to “very good” for all records in terms of time, geography, and technology representativeness, as assessed per EN 15804+A2 Annex E.

All primary data used in this study refers to the calendar year 2024. Background data (Ecoinvent v3.6) reflects datasets published and updated as of July 2024. No economic or mass allocations were necessary within the main product system. Recycling allocation for Module D follows the substitution approach, consistent with EN 15804+A2 guidance.

SCENARIOS AND ADDITIONAL TECHNICAL INFORMATION (PART 1)

Description of processes within A1–A3 (Production Stage)

A1 – Raw material supply:

Includes the extraction and processing of input materials.

A2 – Transport:

Transport of input materials to the manufacturing plant by truck. Distances are based on distance between supplier and manufacturing plant in Kaatsheuvel.

A3 – Manufacturing:

Includes electricity, gas usage and water usage. Material losses and waste treatment are included.

Electricity Mix – Global Warming Potential (GWP):

The NMD profile 0510-pro&Elektriciteitsverbruik, bouwmaschine elektrisch, Grijze mix, per kWh input (electricity: 3.6 MJ/kWh; 3.6 MJ input equals 2.75 MJ output) was applied. This grey electricity mix is composed of the following energy sources: natural gas (81.25%), coal (10.93%), nuclear energy (4.42%), oil products (1.51%), and other non-renewable fuels (approximately 1.89%). The Global Warming Potential associated with this electricity mix is 6.23×10^{-1} kg CO₂-equivalent per kWh.

Description of scenarios for modules beyond A1–A3:

A4 – Transport to construction site:

A fixed distance of 300 km from Lørenskog to end-user is assumed, modeled using EURO 6 diesel truck transport.

A5 - Installation

Installation is done by hand and therefore the impact is neglectable. A 15% installation loss is applied .

C1 – Deconstruction:

Firesafe FSB1 is a finishing material that adheres to other materials. The impact generated during the demolition phase is negligible and falls within the cutoff criteria.

C2 – Transport to EoL processing:

100% of the product is transported for recycling over a distance of 50 km, modeled with truck transport.

C3 – Waste processing:

As a finishing material that bonds to other substrates, Firesafe FSB1 generates negligible impact during the waste processing phase, falling within the cutoff criteria.

C4 – Disposal:

In stage C4, 100% of Firesafe FSB1 is disposed of via landfill.

D – Module D (recovery):

Module D shows no environmental benefits, as landfilling in C4 prevents any recovery or reuse.

DECLARATION OF SVHC

The product does not contain SVHC



REFERENCES

CE Delft. (2010). Handboek Schaduwprijzen. Opgehaald van <https://ce.nl/publicaties/handboek-schaduwprijzen-waardering-en-weging-van-emissies-en-milieueffecten/>

ISO. (2006). 'ISO 14025: Environmental labels and declarations -- Type III environmental declarations -- Principles and procedures', International Organization for Standardization, ISO14025:2006.

ISO. (2006). 'ISO 14040: Environmental management - Life cycle assessment – Principles and Framework', International Organization for Standardization, ISO14040:2006.

ISO. (2006). 'ISO 14044: Environmental management - Life cycle assessment - Requirements and guidelines', International Organization for Standardization, ISO14044:2006.

NEN. (2013). 'NEN-EN 15804: Duurzaamheid van bouwwerken - Milieuverklaringen van producten - Basisregels voor de productgroep bouwproducten', NEN-EN 15804:2012+A1:2013.

NMD. (2025). Bepalingsmethode 'Milieuprestatie Bouwwerken' versie 1.2 inclusief de bijbehorende wijzigingsbladen.

NMD. (2022, March). Environmental Performance Assessment Method for Construction Works. Opgehaald van https://milieudatabase.nl/wp-content/uploads/2022/05/Bepalingsmethode_Milieuprestatie_Bouwwerken_maart_2022_Engels.pdf

TNO. (sd). Toxiciteit heeft z'n prijs : schaduwrijzen voor (eco-)toxiciteit en uitputting van abiotische grondstoffen binnen DuboCalc. Opgehaald van https://puc.overheid.nl/rijkswaterstaat/doc/PUC_119145_31/